

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	601	(711/203).CCLS.	USPAT; USOCR	OR	OFF	2006/08/01 10:01
L2	281	((static\$3 or initial or initialize or starting or beginning) near2 offset) with (node\$1 or processor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/01 10:03
L3	0	1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/01 10:03
L4	1	(processor adj offset) same pointer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/01 10:03
L5	854	(processor same offset) same pointer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/01 10:04
L6	7	1 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/01 10:04
S1	213	allocat\$3 with (non-contiguous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:10
S2	2	allocat\$3 with (non-contiguous) with (static near2 offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:07

EAST Search History

S3	4	allocat\$3 with (static near2 offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:08
S4	9	allocat\$3 same (static near2 offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:10
S5	234	map\$4 near5 (non-contiguous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:54
S6	2	(map\$4 near5 (non-contiguous))same (allocat\$3 with pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 16:12
S7	4851	(allocat\$3 with pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:12
S8	149	(allocat\$3 with pointer with offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:12
S9	21	map\$4 same (allocat\$3 with pointer with offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:32
S10	2554	comput\$3 adj node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:33

EAST Search History

S11	4000	comput\$3 adj node\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:33
S12	167	(comput\$3 adj node\$1) same allocat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:36
S13	4	(comput\$3 adj node\$1) same allocat\$3 same offset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:38
S14	2	(comput\$3 adj node\$1) same allocat\$3 same pointer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:39
S15	683	allocat\$3 same pointer same offset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:39
S16	149	allocat\$3 with pointer with offset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:44
S17	8	node\$1 same (allocat\$3 with pointer with offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:42
S18	2	(comput\$3 adj (unit\$1 or node\$1)) same (allocat\$3 with pointer with offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:43
S19	1253	(711/170).CCLS.	USPAT; USOCR	OR	OFF	2006/03/16 15:43

EAST Search History

S20	8	S5 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:53
S21	234	map\$4 near5 (non-contiguous) with contiguous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:54
S22	68	(map\$4 near5 (non-contiguous)) and (node\$1 or CPUs)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:58
S23	2269	NUMA	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:58
S24	386577	NUMA or node\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:58
S25	9685	(NUMA or node\$1) same (offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:59
S26	216	(NUMA or node\$1) same (offset with pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:59
S27	26	(NUMA or node\$1) same (offset with pointer) same allocat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 16:04

EAST Search History

S28	0	(NUMA) same (offset with pointer) same allocat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 16:04
S29	0	(NUMA) same (offset with pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 16:04
S30	16	(NUMA) same (pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 16:04
S31	4	(map\$4 near5 (non-contiguous)) same (pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 16:26
S32	95	allocat\$3 with (multiple adj processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/19 11:24
S33	345	allocat\$3 with (multiple adj (node\$1 or processor\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/19 11:30
S34	0	allocat\$3 with (multiple adj (node\$1 or processor\$1)) with offset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/19 11:30
S35	3	allocat\$3 with (multiple adj (node\$1 or processor\$1)) same offset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/19 11:32

EAST Search History

S36	5	allocat\$3 with (multiple adj (node\$1 or processor\$1)) and (pointer with offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/19 11:40
S37	2	allocat\$3 with (multiple adj (node\$1 or processor\$1)) and (static with offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/19 11:34
S38	2	allocat\$3 with (multiple adj (node\$1 or processor\$1)) and (static near2 offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/19 11:35
S39	2	allocat\$3 with (multiple adj (node\$1 or processor\$1 or core\$1 or CPU\$1 or agent\$1)) and (static near2 offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/19 11:35
S40	861	(711/147).CCLS.	USPAT; USOCR	OR	OFF	2006/03/19 11:35
S41	5	S33 and S40	USPAT	OR	OFF	2006/03/19 11:36
S42	2	allocat\$3 with (contiguous) with (pointer with offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/19 11:40
S43	53	allocat\$3 same (contiguous) same (pointer same offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/19 11:40
S44	1	("same" adj pointer) with (per-processor adj offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 15:42

EAST Search History

S45	1	(per-processor adj offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 15:43
S46	0	(each adj processor adj offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 15:43
S47	0	(each adj offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 18:12
S48	231	static adj offset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 18:30
S49	4	(static adj offset) with pointer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 18:13
S50	578	offset near10 determined near10 initial\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 18:14
S51	3	offset near10 determined near10 initial\$5 near10 allocat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 18:14
S52	46	offset near10 initial\$5 near10 allocat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 18:19

EAST Search History

S53	21	offset near5 initially adj determined	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 18:21
S54	2	(offset near5 initially) same (memory near10 allocation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 18:21
S55	5	(offset near5 initially) same (allocation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 18:24
S56	175	offset adj initially	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 18:27
S57	2	(offset adj initially) with allocat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 18:25
S58	2	(offset adj initially) same allocat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 18:25
S59	15	(offset adj initially) near5 determined	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 18:25
S60	7	(static adj offset) with determined	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 18:28

EAST Search History

S61	8	(static adj offset) with predetermined	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 18:28
S62	3	(static adj offset) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 18:31
S63	2	(static adj offset) with allocat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 18:31
S64	7	(static adj offset) with determined	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 18:31
S65	11	(static adj offset) with set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 18:31
S66	518	allocat\$3 near10 portion near10 (logical or virtual)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 14:28
S67	130	(allocat\$3 near10 portion near10 (logical or virtual)) same (node\$1 or processor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 14:29
S68	2	(allocat\$3 near10 portion near10 (logical or virtual)) same (node\$1 or processor\$1) same (pointer or offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 14:31

EAST Search History

S69	114	(allocat\$3 near10 (logical or virtual)) same (node\$1 or processor\$1) same (pointer or offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 15:46
S70	0	(map\$4 or translat\$3) near5 (static adj offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 16:00
S71	8	(map\$4 or translat\$3) same (static adj offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 16:01
S72	2	((section or portion) near5 contiguous near5 memory) with allocat\$3 with offset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 16:03
S73	3	((section or portion) near5 contiguous near5 memory) same allocat\$3 same offset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 16:04
S74	112	((section or portion) near5 memory) same allocat\$3 same offset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 16:04
S75	13	((section or portion) near5 (logical\$2 or virtual) near5 memory) same allocat\$3 same offset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 16:09
S76	2	((section or portion) near5 (logical\$2 or virtual) near5 addressable) same allocat\$3 same offset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 16:09

EAST Search History

S77	2	((section or portion) near5 (logical\$2 or virtual) near5 addressable) same offset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 16:10
S78	74	((section or portion) near5 (logical\$2 or virtual) near5 addressable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 16:12
S79	2583	711/202	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 16:13
S80	10	S74 and S79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 16:48
S81	264	physical\$2 near2 (non-contiguous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 16:49
S82	98	(map\$4 or translat\$3) near10 physical\$2 near2 (non-contiguous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 16:50
S83	5	(map\$4 or translat\$3) near10 physical\$2 near2 (non-contiguous) near10 (logical\$2 near2 contiguous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 16:57
S84	40	(allocat\$3 near5 (portion or segment or block or section) near5 logical\$2) with (pointer or placement or offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 17:03

EAST Search History

S85	27	(allocat\$3 near5 (portion or segment or block or section) near5 logical\$2) with (node\$1 or processor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 17:06
S86	106	(allocat\$3 near5 contiguous) with (node\$1 or processor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 17:06
S87	2	(allocat\$3 near5 logical near10 contiguous) with (node\$1 or processor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 17:07
S88	435	(allocat\$3 near5 logical) with (node\$1 or processor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 17:07
S89	13	(allocat\$3 near5 (section or segment or portion) near5 logical) with (node\$1 or processor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 17:08
S90	60	(allocat\$3 near5 offset) with (node\$1 or processor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 17:35
S91	56	offset near5 correspond\$3 near5 (node\$1 or processor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 17:43
S92	4	(contiguous near5 logical\$2) with allocated with pointer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 17:44
S93	5	((("6308248") or ("6453404") or ("6453403") or ("5652853") or ("5822601"))).PN.	USPAT; USOCR	OR	OFF	2006/04/19 18:09

EAST Search History

S94	5293	((map\$4 or translat\$3) with contiguous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 18:09
S95	27	((map\$4 or translat\$3) with contiguous) same ((computer\$3 adj unit\$1) or node\$1) same allocat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 18:52
S96	114	((map\$4 or translat\$3) with contiguous) same ((computer\$3 adj unit\$1) or node\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 18:53
S97	20	((map\$4 or translat\$3) with contiguous) same ((computer\$3 adj unit\$1) or node\$1) same pointer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 18:57
S98	3299	711/170	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 18:59
S99	141	S94 and S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 18:59
S10 0	5	S96 and S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 18:59
S10 1	159	logically near2 contiguous near5 (memory or space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/21 11:05

EAST Search History

S10 2	26	map\$4 with (logically near2 contiguous near5 (memory or space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/21 10:35
S10 3	536	(memory near2 allocat\$3) same ((multiple or plurality) near5 (node\$1 or processor\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/21 10:40
S10 4	25	(memory near2 allocat\$3) same ((multiple or plurality) near5 (node\$1 or processor\$1)) same pointer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/21 11:05
S10 5	42	(logically near2 contiguous near5 (memory or space)) same allocat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/21 11:06
S10 6	14	(logically near2 contiguous near5 (memory or space)) same allocat\$3 same (offset or pointer or reference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/21 11:10
S10 7	1814	(address\$4 near10 pointer near10 offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/21 11:12
S10 8	32	(address\$4 near10 pointer near10 offset) same (memory near5 allocat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/21 11:26
S10 9	7	(addressable near10 pointer near10 offset) same offset	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/21 11:28

EAST Search History

S11 0	7	(addressable near10 pointer near10 offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/21 11:28
S11 1	305	(logical or virtual) with (pointer near10 offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/21 15:04
S11 2	30	(logical or virtual) with (pointer near10 offset near10 (plus or add\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/21 11:29
S11 3	29	((logical or virtual) near5 memory) with (pointer near10 offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/21 15:05
S11 4	10022	(static\$3 or initial or initialize or starting or beginning) near2 (offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 14:50
S11 5	656	((static\$3 or initial or initialize or starting or beginning) near2 (offset)) with (node\$1 or processor\$1 or unit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 14:54
S11 6	280	((static\$3 or initial or initialize or starting or beginning) near2 (offset)) with (node\$1 or processor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:36
S11 7	7	((static\$3 or initial or initialize or starting or beginning) near2 (offset)) with ((each or one or single) near2 (node\$1 or processor\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 14:58

EAST Search History

S11 8	1	((static\$3 or initial or initialize or starting or beginning) adj (offset)) with ((each or one or single) near2 (node\$1 or processor\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 14:58
S11 9	0	((static\$3 or initial or initialize or starting or beginning) adj (offset)) with ((each or single) near2 (node or processor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 14:59
S12 0	7	((static\$3 or initial or initialize or starting or beginning) adj (offset)) same ((each or single) near2 (node or processor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 14:59
S12 1	84	((static\$3 or initial or initialize or starting or beginning) adj (offset)) with (node\$1 or processor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 15:57
S12 2	8	(static\$3 adj offset) with (node\$1 or processor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 15:56
S12 3	43	((static\$3 or initial or initialize) adj (offset)) with (node\$1 or processor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 15:57
S12 4	1785	((static\$3 or initial or initialize) adj (offset))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:36
S12 5	29	((static\$3 or initial or initialize) adj (offset)) near10 (processor\$1 or node\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 15:58

EAST Search History

S12 6	4989	((static\$3 or initial or initialize) near2 (offset))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:29
S12 7	621	((static\$3 or initial or initialize) near2 (offset)) same (processor or node or unit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:29
S12 8	5	((static\$3 or initial or initialize) near2 (offset)) same ((each or single) near2 (processor or node or unit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:30
S12 9	1589	(static near2 (offset or displacement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:31
S13 0	579	(static adj (offset or displacement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:37
S13 1	23	(static adj (offset or displacement)) same (processor\$1 or node\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:33
S13 2	1357	(711/170).CCLS.	USPAT; USOCR	OR	OFF	2006/07/25 17:33
S13 3	1	S129 and S132	USPAT	OR	OFF	2006/07/25 17:34
S13 4	1	S129 and S132	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:34

EAST Search History

S13 5	4	(static adj (offset or displacement)) same allocat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:35
S13 6	4	((static\$3 or initial or initialize) adj (offset)) with allocat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:36
S13 7	18	(static adj (offset or displacement)) same (processor or node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:38
S13 8	18	(static\$3 adj (offset or displacement)) same (processor or node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:39
S13 9	47	(static\$3 near2 (offset or displacement)) same (processor or node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:41
S14 0	1	(per adj (processor or node) adj offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:41
S14 1	432	((processor or node) adj offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:57
S14 2	24	((processor or node) adj offset) same pointer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:51

EAST Search History

S14 3	1	(processor adj offset) same pointer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:52
S14 4	155	(processor adj offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 18:03
S14 5	11	(processor adj offset) same (pointer or base)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:52
S14 6	167	(processor\$1 adj offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:54
S14 7	3	(processor\$1 adj offset) near10 (plus or add or addition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:55
S14 8	3075	(each processor adj offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:56
S14 9	0	(each adj processor adj offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:56
S15 0	1	(per-processor adj offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:56

EAST Search History

S15 1	12	((processor or node) adj offset) same allocat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 17:57
S15 2	248	(static adj offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 18:04
S15 3	17	(static adj offset) same (initial or initialization or initialize)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 18:15
S15 4	11	((("6308248") or ("6453404") or ("6453403") or ("5652853") or ("5822601")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 18:15
S15 5	1785	((static\$3 or initial or initialize) adj offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 10:16
S15 6	9	((static\$3 or initial or initialize) adj offset) same allocation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 10:08
S15 7	2	((static\$3 or initial or initialize) adj offset) same (initial near2 allocation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 10:08
S15 8	9	((static\$3 or initial or initialize) adj offset) and (initial near2 allocation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 10:08

EAST Search History

S15 9	30	((static\$3 or initial or initialize) adj offset) with processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 10:14
S16 0	2614	(711/?).CCLS.	USPAT; USOCR	OR	OFF	2006/07/26 10:15
S16 1	0	S155 and S160	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 10:15
S16 2	1357	(711/170).CCLS.	USPAT; USOCR	OR	OFF	2006/07/26 10:15
S16 3	1	S155 and S162	USPAT	OR	OFF	2006/07/26 10:15
S16 4	4	((static\$3 or initial or initialize) adj offset) with allocat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 10:18
S16 5	53	((static\$3 or initial or initialize) adj offset) and (memory near2 allocation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 10:28
S16 6	109	(offset near2 (initial or initialize or initialization) near2 determined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 10:34
S16 7	1577	((initial or initialize or initialization) adj offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 10:42
S16 8	38	((initial or initialize or initialization) adj offset) same pointer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 10:40

EAST Search History

S16 9	10	((initial or initialize or initialization) with (static\$3 adj offset))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 10:41
S17 0	101	((initial or initialize or initialization) adj offset) same (processor or node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 10:43
S17 1	32	((initial or initialize or initialization) adj offset) with (processor or node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 10:43
S17 2	1325	computing adj node\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/28 09:39
S17 3	147	(computing adj node\$1) with processor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/28 09:40
S17 4	130	(computing adj node\$1) near10 processor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/28 10:02
S17 5	5	(computing adj node\$1) near10 (plurality near2 processor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/28 10:02